

TECHNICAL CHARACTERISTICS

MATERIAL
INSULATOR: NYLON 66
FLAMABILITY RATING: UL94-V0
COLOR: WHITE
PITCH: 1.25MM



ENVIRONMENTAL
OPERATING TEMPERATURE: -25 UP TO 85°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
INSULATOR RESISTANCE: >100 MOHM
DIELECTRIC WITHSTANDING VOLTAGE: 250V AC/MN

STANDARD
CERTIFIED: E323964

PACKAGING
BAG

DIMENSION
A = 1.25 x (NB. PIN - 1)
B = 1.25 x (NB. PIN + 1) + 0.5

RoHS Compliant				<div>PROJECTION:</div> <div></div>	<div>GENERAL TOLERANCE</div> <div>.X = +/- 0.2</div> <div>.XX = +/- 0.15</div>	<div></div> <div>WÜRTH ELEKTRONIK</div>		
				APPROVAL: RJ	UNIT: MM	DESCRIPTION: 1.25 MM FEMALE TERMINAL HOUSING		SIZE A4
I	07-AUG-13	CHARACTERISTIC	QL		SCALE:			
H	29-OCT-12	PIN	GG		SHEET: 1/1	WERI PART NO: 6530xx113322		
REV	DATE	FILE	BY		DRAW: PEARL			