



MSL1

\* Pb Free Part

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	

**Table 1 Electrical Specification 1**

Item		Condition	Specification			Unit	Remarks
			Min.	Typ.	Max.		
Insertion Loss		734-746MHz	-	1.4	2.0	dB	
Ripple		734-746MHz	-	0.5	1.5	dB	
VSWR	Input(S11)	734-746MHz	-	1.5	2.0	-	
	Output(S22)		-	1.5	2.0	-	
Amplitude balance		734-746MHz	-1.0	-0.1/+0.1	+1.0	dB	
Phase balance		734-746MHz	-10	-1.0/+1.0	+10	degree	
Attenuation		DC-686MHz	60	70	-	dB	
		704-716MHz	52	60	-	dB	
		716-722MHz	21	32	-	dB	
		1400-2300MHz	45	60	-	dB	
		2300-3000MHz	40	55	-	dB	
		3000-4000MHz	35	50	-	dB	
		4000-5000MHz	30	45	-	dB	
		5000-6000MHz	25	40	-	dB	
Terminating Impedance		Input	50			ohm	Single-ended
		Output	100			ohm	Differential
Operating Temperature			-30 to +85			°C	




MSL1

\* Pb Free Part

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	

**Dimensions**


Device size: 1.4typ. x 1.0typ. x 0.5max.



Unit: mm

**Pin Configuration**

Pin No.	Symbol	Function
1	IN	Single-ended pin
2	GND	Ground
3	OUT	Differential Pin
4	OUT	Differential Pin
5	GND	Ground

**Evaluation Condition****TAIYO YUDEN**



MSL1

\* Pb Free Part

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	




Fig.1 Pass-band Characteristic




Fig.2 In-band Characteristic



TAIYO YUDEN



MSL1

\* Pb Free Part

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	



TAIYO YUDEN



\* Pb Free Part



MSL1

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	




Fig.5 Impedance (INPUT)




Fig.6 Impedance (OUTPUT)

TAIYO YUDEN



MSL1

\* Pb Free Part

Customer Name	Standard Specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	Band 17 Rx ( 50/100ohm )	Date	March 31, 2010
Part Number	FAR-F5KY-740M00-B4UR	Version 3.0c	




Fig.7 Amplitude Balance




Fig.8 Phase Balance

TAIYO YUDEN