

Description: Tinned Copper conductor, Foam FEP Insulation, Individually shielded pairs, and overall Plenum PVC Jacketed Plenum Cable.


A. Construction:


- 1.0 Primaries:
- 1.1 Conductor: 24 AWG  
Stranding 7/32 Tinned Copper;  
Nom. Dia .024"
- 1.2 Insulation: Foam FEP  
Material  
Nom. thickness .019"  
Nom. OD .062"
- 2.0 Pair construction: Two insulated conductors twisted together
- 2.1 Shield: Aluminum/Polyester Tape; 100% coverage; (Aluminum Side IN)
- 2.2 Drain Wire: 24 AWG ( 7/32 ) Tinned Copper
- 2.3 No. of Pairs 2
- 2.4 Pair Color Code: White/Blue- Blue/White & White/Orange-Orange/White
- 3.0 Overall Cabling: Two pairs cabled
- 4.0 Jacket Material: Plenum PVC Nom. wall: .015" Color: TBD
- 5.0 Overall Diameter of Cable Nom. .255"
- 6.0 Marking: Surface Print:  
GENERAL CABLE (F) C8134 2PR 24 AWG SHIELDED CMP (UL) C(UL) ---- ROHS  
AAAAA\*  
\* Indicates Shop Order number

B. Characteristics:

- 1.0 Conductor DC Resistance @20C Max. (Ohm): 26.5
- 2.0 Capacitance between conductors Nom. (pF/ft): 12.5
- 3.0 Capacitance Cond. To other Cond.& Shield Nom. (pF/ft): 22
- 4.0 Shield resistance Nom. (ohms/1000 ft): 15
- 5.0 Characteristic Impedance Nom.(Ohms): 100
- 6.0 Velocity of Propagation Nom. : 76
- 7.0 Inductance Nom. (μH/ft): .2
- 8.0 Operating Voltage Nom.: 300 V
- 9.0 Continuous Operating Temp: 75C
- 10.0 Min. Bend Radius (inches): 2.75
- 11.0 Max. Pulling Tension Lbs: 33

C. Approvals: UL –CMP ; C(UL) CMP

REV	DATE	CHANGE DETAIL	 <b>General Cable</b>		<b>General Cable</b> 20 Forge Park, Franklin, Ma 02038 Phone: 508-541-7100 Fax: 508-541-8122		
			Title:	<b>C8134</b>			
			Description:	2 Individually Shielded PR 24 AWG Plenum Cable			
			Created By:				
A	07/02/09	Initial Release -VM	Final Approval:	VM – 7/3/09		PAGE 1 of 1	

R E V	DATE	CHANGE DETAIL			<div>General Cable</div> <div>20 Forge Park, Franklin, Ma 02038</div> <div>Phone: 508-541-7100 Fax: 508-541-8122</div>		
				Title:	C8134		
				Description:	2 Individually Shielded PR 24 AWG Plenum Cable		
			Created By:				
A	07/02/09	Initial Release -VM	Final Approval:	VM – 7/3/09		PAGE 2 of 1	

General Cable reserves the right to modify this information without prior notification and does not make a warranty or representation of any kind, whether implied or expressed with respect to the information contained herein. General Cable assumes no risks, and will not be liable for direct or indirect, special; incidental or consequential damages, any defect or personal injury resulting from the use of this document.