


GRM033C80G473KE01#

Reflow OF Ultra-compact Available Complies with RoHS

< List of part numbers with package codes >

GRM033C80G473KE01D , GRM033C80G473KE01W , GRM033C80G473KE01J

Shape



| L size | 0.6 ±0.03mm |
|---------------------------------------|--------------|
| W size | 0.3 ± 0.03mm |
| T size | 0.3 ±0.03mm |
| External terminal width e | 0.1 to 0.2mm |
| Distance between external terminals g | 0.2mm min. |
| Size code in inch(mm) | 0201 (0603) |

Specifications

| Capacitance | 47000pF ±10% |
|--|--------------|
| Rated voltage | 4Vdc |
| Temperature characteristics (complied standard) | X6S(EIA) |
| Capacitance change rate | ± 22.0% |
| Temperature range of temperature characteristics | -55 to 105 |
| Operating temperature range | -55 to 105 |

| Packaging | Specifications |
|-----------|--------------------|
| D | 180mm Paper taping |

"#" indicates a package specification code.

References

| J | 330mm Paper taping | 50000 |
|---|---|-------|
| W | 180mm Paper taping (W8P1*) * Width : 8mm, Pocket pitch : 1mm | 30000 |

Minimum quantity

15000

| Mass (typ.) | |
|-------------|--------|
| 1 piece | 0.33mg |
| 180mm Reel | 118g |

1 of 2

🔔 Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it 's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




URL : http://www.murata.co.jp/

Last updated: 2013/11/13







DC bias characteristics




Capacitance - temperature characteristics



S parameter (Smith chart S11)



AC voltage characteristics



2 of 2

This PDF data has only typical specifications because there is no space for detailed specifications.

Therefore, please reviewour product specifications or consult the approval sheet for product specifications before ordering.