

DO NOT  
SCALE FROM  
THIS PRINT

HTS-1XX-X-X-X-X-X


NO OF POSITIONS  
-01 THRU -36OPTION  
-N: NON-FLUSH  
(USE SSB-32-U BODY)  
(LEAVE BLANK FOR STANDARD)PLATING SPECIFICATION  
-G: 20μ" SELECTIVE GOLD  
(USE HTS-36-G)  
-T: MATTE TIN  
(USE HTS-36-L)  
(USE HSS-36-L FOR  
STYLES -J, -L-X, -M)TERMINAL STYLE  
(SEE TABLE 1)FIG 1  
HTS-120-X-AA-1 SHOWN

TABLE 1

TERMINAL STYLE	TERMINAL	SEE FIG NO -XX	SHEET	BODY	"X" (-N OPTION ONLY)	PACKAGING TUBE	PLUG
-AA	T-1R5-X	1	1	HTS-36-X	0.028 [0.71]	PT-1-24-01-24	TP-24
-A	T-1R0-X	2	2	HTS-36-X	0.028 [0.71]	PT-1-24-01-24	TP-24
-A-1	T-1R7-1-X	3	2	HTS-36-X	0.028 [0.71]	PT-1-24-01-24	TP-24
-A-2	T-1R7-2-X	4	2	HTS-36-X	0.028 [0.71]	PT-1-24-01-24	TP-24
-B	T-1R1-X	5	2	HTS-36-X	0.210 [5.33]	PT-1-24-01-24	TP-24
-B-2	T-1R8-2-X	6	2	HTS-36-X	0.210 [5.33]	N/A	N/A
-C	T-1R2-X	7	2	HTS-36-X	0.035 [0.89]	PT-1-24-01-24	TP-24
-C-1	T-1R9-1-X	8	2	HTS-36-X	0.035 [0.89]	N/A	N/A
-C-2	T-1R9-2-X	9	3	HTS-36-X	0.035 [0.89]	N/A	N/A
-D-1-1	T-1S4-1-1-X	10	3	HTS-36-X	0.030 [0.76]	PT-1-24-10-03	TP-03
-D-1-2	T-1S4-1-2-X	11	3	HTS-36-X	0.030 [0.76]	PT-1-24-02-03	TP-24
-E	T-1R12-X	12	3	HTS-36-X	N/A	N/A	N/A
-G-1	T-1R5-1-X	14	3	HTS-36-X	N/A	PT-1-24-01-24	TP-24
-J	S-1P1-X	15	4	HSS-36-L	0.038 [0.97]	PT-1-24-01-23	TP-12
-K	T-1R12-X	16	4	HTS-36-X	0.030 [0.76]	N/A	N/A
-L-1	S-1W1-1-X	17	4	HSS-36-L	0.038 [0.97]	N/A	N/A
-L-2	S-1W1-2-X	18	4	HSS-36-L	0.038 [0.97]	N/A	N/A
-L-3	S-1W1-3-X	19	4	HSS-36-L	0.038 [0.97]	N/A	N/A
-N	T-1R5-1-X	20	4	HTS-36-X	N/A	N/A	N/A

## NOTES:

1. Ⓢ REPRESENTS A CRITICAL DIMENSION.
2. MAXIMUM ALLOWABLE BOW: .004[0.10] IN/IN TOP TO BOTTOM  
.008[0.20] IN/IN SIDE TO SIDE.
3. MINIMUM PUSHOUT FORCE: 5 LBS.
4. MAXIMUM ALLOWABLE TOE IN/OUT OF TERMINALS: 2°.
5. MAXIMUM ALLOWABLE FLASH AFTER REMOVAL OF CROSS BARS: .005[0.13].
6. FOR LEAD STYLES PACKAGED IN TUBES: PACKAGE -05 THRU -36 POSITIONS IN TUBES;  
LEAD PACKAGE POSITIONS -01 THRU -04 (SEE TABLE 1).
7. MAXIMUM ALLOWABLE FLASH: .010[0.25].

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:

DECIMALS

.XX: ±.01 [.3]

.XXX: ±.005 [.13]

.XXXX: ±.0020 [.051]

ANGLES

2°

## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

**samtec**

520 PARK EAST BLVD., NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 2:1

INSULATOR: LCP, UL 94 V0, COLOR: BLACK  
TERMINAL: BRASS, 1/2 HARD

DESCRIPTION:

HIGH TEMP, TERMINAL STRIP ASSEMBLY

DWG. NO.

HTS-1XX-X-X-X-X-X

BY: L.W.

01/05/1984

SHEET 1 OF 4




FIG 2  
TERMINAL STYLE -A  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 3  
TERMINAL STYLE -A-1  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 4  
TERMINAL STYLE -A-2  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 5  
TERMINAL STYLE -B  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 6  
TERMINAL STYLE -B-2  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 7  
TERMINAL STYLE -C  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 8  
TERMINAL STYLE -C-1  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING  
  
SHEET SCALE: 3:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:  
HIGH TEMP, TERMINAL STRIP ASSEMBLY  
DWG. NO.  
HTS-1XX-X-X-X-X-X  
BY: L.W. 01/05/1984 SHEET 2 OF 4




FIG 9  
TERMINAL STYLE -C-2  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 10  
TERMINAL STYLE -D-1-1  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 11  
TERMINAL STYLE -D-1-2  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 12  
TERMINAL STYLE -E  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 14  
TERMINAL STYLE -G-1  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

**samtec**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:  
HIGH TEMP, TERMINAL STRIP ASSEMBLY

DWG. NO.  
HTS-1XX-X-X-X-X-X

BY: L.W. 01/05/1984 SHEET 3 OF 4

REVISION AK




FIG 15  
TERMINAL STYLE -J  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 16  
TERMINAL STYLE -K  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 17  
TERMINAL STYLE -L-1  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 18  
TERMINAL STYLE -L-2  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 19  
TERMINAL STYLE -L-3  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1




FIG 20  
TERMINAL STYLE -N  
UNLESS OTHERWISE SHOWN,  
SAME AS FIG1

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

**samtec**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:  
HIGH TEMP, TERMINAL STRIP ASSEMBLY

DWG. NO.  
HTS-1XX-X-X-X-X-X

BY: L.W. 01/05/1984 SHEET 4 OF 4