

ARM

MCBSTM32EXL Evaluation Board

KEIL
Tools by ARM

[Home](#)
[Products](#)
[Videos](#)
[Events](#)
[Support](#)

Search Keil.com for: [Go](#)

Evaluation Boards

[Overview](#)
[Third-Party Boards](#)
[Feedback](#)

ARM Evaluation Boards

[ARM7 Board Comparison](#)
[ARM9 Board Comparison](#)
[Cortex-M Board Comparison](#)
[MCB1000](#)
[MCB1200](#)
[MCB1700](#)
[MCB1800](#)
[MCB9B500](#)
[MCBNUC1xx](#)
[MCBSTM32](#)
[MCBSTM32C](#)
[MCBSTM32EXL](#)

[Specifications](#)
[Starter Kit](#)
[Knowledgebase Articles](#)
[User's Guide](#)
[Base Board Schematics](#)
[Display Board Schematics](#)
[MCBTMPM330](#)
[MCBTMPM360](#)
[MCBTMPM395](#)
[Microcontroller Prototyping System](#)

[Cortex-R Board Comparison](#)

C166 Evaluation Boards


[C16x Board Comparison](#)
[MCBXC167 Evaluation Board](#)

C251/C51 Evaluation Boards

[8051 Board Comparison](#)
[MCBx51 Evaluation Board](#)
[MCB900 Evaluation Board](#)
[MCB950 Evaluation Board](#)
[MCBXC866 Evaluation Board](#)
[MCBXC88x Evaluation Board](#)

MCBSTM32EXL

Evaluation Board and Starter Kit



The Keil MCBSTM32EXL Evaluation Boards enable you to create and test working programs based on the STMicroelectronics STM32 family of ARM Cortex™-M3 processor-based devices.

It is available in two configurations:

- The MCBSTM32EXL is populated with a [STM32F103ZG](#) device
- The MCBSTM32E is populated with a [STM32F103ZE](#) device

Features

- 72MHz ARM Cortex-M3 processor-based MCU in 144-pin LQFP
- On-Chip Flash: 1MB (STM32F103ZG), 512KB (STM32F103ZE)
- On-Chip RAM: 96KB (STM32F103ZG), 64KB (STM32F103ZE)
- External Memory: 8MB SPI Flash and 1MB RAM
- USB 2.0 Full speed Device Interface
- CAN 2.0 and Serial Interfaces
- Potentiometer for ADC Input
- Up to 42 GPIO
- QVGA LCD-TFT color graphics display with 16-bit interface
- MicroSD Card Interface
- Speaker for analog output
- Joystick with 5 positions
- 8 User LEDs and 4 push-buttons
- Power via USB connector
- Debug Interface [Connectors](#)
 - 20-pin Cortex debug + ETM Trace (0.05 inch connector)
 - 20-pin ARM JTAG (0.1 inch connector)

Evaluation Software

The MCBSTM32EXL Evaluation Boards and Starter Kits include the [MDK-ARM Evaluation Tools](#). These tools help you get started writing programs and testing the microcontroller and its capabilities. Sample applications that run on the MCBSTM32EXL evaluation boards, and a Quickstart guide are included.

Ordering Information

The MCBSTM32EXL is available as stand alone evaluation boards or as a [starter kit](#) which includes the [ULINK-ME](#) debug adapter.

- MCBSTM32EXL:** MCBSTM32EXL evaluation board
- MCBSTM32EXLUME:** MCBSTM32EXL starter kit (includes ULINK-ME)
- MCBSTM32E:** MCBSTM32E evaluation board
- MCBSTM32EUME:** MCBSTM32E starter kit (includes ULINK-ME)

[Contact](#)
[Site Map](#)
[Press](#)
[Privacy](#)

Copyright © 2011 ARM Ltd and ARM Germany GmbH. All rights reserved.