
4/9/2010 ECN-128977

RECOMMENDED PCB LAYOUT FOR MECT-1XX-XX-XX-D-RAX-XX

DESIGNED & DIMENSIONED IN MILLIMETERS [ENGLISH]

TABLE 2			
POSITION	"A"	"B"	
-10	7.20[.283]	9.60[.378]	
-15	11.20[.441]	13.60[.535]	
-20	15.20[.598]	17.60[.693]	
-35	27.20[1.071]	29.60[1.165]	



1. SAMTEC ACKNOWLEDGES THE MSA STANDARD BOARD

2. PLATING TO BE .000030" GOLD WITH A HARDNESS OF 120-200 KNOOP PER ASTM B 488 TYPE 2, GRADE C."

AS AN ACCEPTABLE LAYOUT AS WELL.

NOTES:

-20 POSITION SHOWN

F:\DWG\MISC\Mktg\Footprnt\MECT-1XX-XX-XX-D-RAX-XX-FOOTPRINT.SLDDRW

PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIA AND PROPRIETARY TO SAMTEC, INC. AND SYMALL NOT BE REPRODUCED OR TRANSFERED TO OTHE BOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAY MHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



RECOMMENDED STENCIL FOR MECT-1XX-XX-XX-D-RAX-XX

DESIGNED & DIMENSIONED IN MILLIMETERS [ENGLISH]

NOTE: SAMTEC ACKNOWLEDGES THE MSA STANDARD BOARD AS AN ACCEPTABLE LAYOUT AS WELL.




TABLE 4		
POSITION	"A"	
-10	7.20[.283]	
-15	11.20[.441]	
-20	15.20[.598]	
-35	27.20[1.071]	

F:\DWG\MISC\Mktg\Footprnt\MECT-1XX-XX-XX-D-RAX-XX-FOOTPRINT.SLDDRW

PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIA AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS

OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



MATING CARD LAYOUT FOR MECT-1XX-XX-XX-D-RAX-XX

