

# Model #: P002-002-R

## 2-ft. Power Cord (IEC-320-C14 to NEMA 5-15R)

#### **Highlights**

- UL-listed
- Retail packaging



### **Description**

Tripp Lite makes your PC installation one step easier. This 2-ft. AC Power Adapter Cord allows you to plug a power cord with an NEMA 5-15P into an IEC-320-C13 outlet in a PDU or CPU. Installation with convenience is the name of the game. Features a NEMA 5-15R receptacle with an IEC-320-C14 plug. Tripp Lite warrants this product to be free from defects in materials and workmanship for life. Clamshell retail package.

System Requirements

- A monitor with an AC power cord (NEMA 5-15P)
- A computer with an available power receptacle (IEC-320-C13)

Package Includes

• 2-ft. AC power adapter cord PC style male (IEC-320-C14) to AC female (NEMA5-15R)

#### **Features**

- UL-listed
- This 2 foot cord allows you to plug a power cord with an NEMA 5-15P into an IEC-320-C13 outlet in a PDU or CPU
- Frees up a wall outlet
- Plug type: IEC-320-C14 to NEMA 5-15R
- 16AWG SJT, 12A, 125V
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

#### **Specifications**

OVERVIEW		
Intended Application	Powering Devices	
Cable Type	POWER	
Model Type	Power Cords	
INPUT		

Cable Length (ft.)	2		
UPC ASSIGNMENT			
Unit Carton UPC#	037332042279		
PHYSICAL			
Color	Black		
Style	Power Cables		
CONNECTIONS			
Connector A			
	IEC-320-C14		
Connector B	R		
WARRANTY			
Product Warranty Period (Worldwide)	Lifetime limited warranty		

#### **Related Items**

#### **Optional Products**

Related Model	Description	Qty.
P004-006	6-ft. 18AWG Power cord (IEC-320-C14 to IEC-320-C13)	1
P006-006	6-ft. 18AWG Power cord (NEMA 5-15P to IEC-320-C13)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=2192.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.