

Model #: P010-012

12-ft. 18AWG Power cord (NEMA 5-15P to IEC-320-C13)

Highlights

- Plug type NEMA 5-15P (AC) to IEC-320-C13 (Device)
- 18AWG SVT, 10A, 125V
- UL Listed



Description

Tripp Lite's line of AC power cords offer PC users a solution to their power connectivity problems. This 12ft cable will replace the power cable on most computers and peripherals that have a removable power cord. Cable features an AC style plug (NEMA 5-15P) on one end and a computer style receptacle (IEC-320-C13) on the other end. UL Listed.

System Requirements

• Computer or peripheral with universal computer style AC power plug (IEC-320-C14)

Package Includes

• 12-ft. Universal AC Power Replacement Cord, NEMA5-15P Plug to IEC-320-C13 Receptacle

Features

- 12-ft. replacement power cable for a PC, printer, monitor or any other device with like plugs
- Universal design
- Plug type NEMA 5-15P (AC) to IEC-320-C13 (Device)
- 18AWG SVT, 10A, 125V
- UL Listed

Specifications

OVERVIEW		
Intended Application	Powering Devices	
Cable Type	POWER	
Model Type	Power Cords	
INPUT		
Cable Length (ft.)	12	
Cable Length (m)	3.66	
UPC ASSIGNMENT		

Unit Carton UPC#	037332013415			
PHYSICAL				
Color	Black			
Style	Power Cables			
CONNECTIONS				
Connector A				
	NEMA 5-15P			
Connector B				
	IEC-320-C13			
Number of Connectors	2			
WARRANTY				
Product Warranty Period (Worldwide)	Lifetime limited warranty			

Related Items

Optional Products

Related Model	Description	Qty.
P002-002	2-ft. Power Cord (IEC-320-C14 to NEMA 5-15R)	1
P006-006	6-ft. 18AWG Power cord (NEMA 5-15P to IEC-320-C13)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2197.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.