

Model #: S101-000

SCSI/Fibre Channel - Internal Active SCSI Terminator 50Pin Header/F (single-ended)

Highlights

 Active terminators include a voltage regulator circuit to compensate for fluctuations in the host adapter



Description

Tripp Lite's active internal SCSI terminator provides reliable termination for high-speed single ended drive chains. This active terminators include a voltage regulator circuit to compensate for fluctuations in the host adapter. For single ended applications requiring an active terminator with a 50Pin socket. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

• Internal SCSI 50 position ribbon cable (otherwise known as SCSI 1) - Where a Male 50 position connector is present and requiring termination

Package Includes

• Internal Active SCSI Terminator 50Pin Header/F Single-ended

Features

- Active internal SCSI terminator header/f single ended. Tripp Lite active terminators include a voltage regulator circuit to compensate for fluctuations in the host adapter
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

UPC ASSIGNMENT	
Unit Carton UPC#	037332120267
PHYSICAL	
Style	Active
CONNECTIONS	

Connector A

		•	-	•	•	•	•	•	•	•	-	•	•	-	•	•	•		•

WARRANTY

Product Warranty Period (Worldwide) Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2681.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.