



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: S312-003

SCSI/Fibre Channel - 3-ft. External SCSI Cable C50M to C50M Double Shielded

Highlights

- Premium double-shielded cable
- 19 twisted-pair conductors



Description

Tripp Lite presents the 3-ft. SCSI I cable. The C50M/M SCSI I cable is used to connect legacy Apple/ Macintosh computers with C50 devices. Tripp Lite warrants this product to be free from defects in materials and workmanship for life. All Tripp Lite SCSI cabling is double-shielded (braid and foil). All Tripp Lite SCSI products regardless of the SCSI generation meet the latest SCSI III specifications of ANSI (American National Standards Institute).

System Requirements

- Any external Apple/Mac SCSI I device or controller card requiring Cen50 interface

Package Includes



- 3-ft. Ext SCSI Cable C50M to C50M Double Shielded

Features

- Premium double-shielded cable
- 18 twisted-pair conductors
- Used to connect two SCSI devices with C50F connections together
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

INPUT	
Cable Length (ft.)	3
UPC ASSIGNMENT	
Unit Carton UPC#	037332013972
CONNECTIONS	

Connector A	 CENTRONICS 50 (MALE)
Connector B	 CENTRONICS 50 (MALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2379.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.