



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: S362-006

6-ft. SCSI Double Shielded Cable (HD50M to DB25M)

Highlights

- Premium double-shielded cable
- 25 twisted-pair conductors



Description

Multi-platform SCSI II external peripheral cable HD50M to DB25M. This 6ft cable is designed to connect two SCSI II (fast SCSI) devices together. Manufactured using double shielded 25 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene.

System Requirements

- Any external SCSI II device or controller card requiring HD50 or DB25 interface

Package Includes


- 6-ft. SCSI Cable HD50M to DB25M Double Shielded

Features

- Backwards compatibility with previous SCSI generations
- Double shielded (foil and braid)
- 25 twisted pair conductors
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest ultra 320 to legacy SCSI-1 and every combination in between

Specifications

OVERVIEW	
Intended Application	Connecting Devices
Cable Type	SCSI
Model Type	SCSI II External
INPUT	
Cable Length (ft.)	6

Cable Length (m)	1.83
UPC ASSIGNMENT	
Unit Carton UPC#	037332014054
PHYSICAL	
Color	Black
CONNECTIONS	
Connector A	 HD50 (MALE)
Connector B	 DB25 (MALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

Related Items

Optional Products

Related Model	Description	Qty.
S122-000	External Active SCSI Single-end Terminator (HD50 M)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2387.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.