

# Model #: TLM609NS

## Power It! Safety Power Strip with 6 Outlets, 9-ft. Cord and Integrated Cord Wrap



#### **Highlights**

- 6 outlets (including transformer outlets and 4 safety covers)
- 9 ft. cord
- Cord wrap with hang holes
- Rugged metal case

### **Description**

This Tripp Lite power strip is designed to safely distribute power to connected equipment in harsh environments. It provides a convenient source for multiple outlets wherever they're needed. 6 outlets distribute AC power to a wide range of power tools, pumps, air compressors and more. Convenient transformer outlets accommodate multiple transformers without blocking other outlets. A 9 ft. grounded cord with integrated cord clip reaches distant outlets. A lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Breaker protects against dangerous system overload. 4 safety covers shield unused outlets from debris and accidental contact. A rugged metal case stands up to the harshest environments. Built-in cord wrap with hang holes provides convenient cord management. Integrated keyhole slots on bottom panel provide convenient wall/desk mounting. Its bright yellow color alerts you and others that power cords and tools are in use.

Applications

- Industrial
- Automotive
- Factory
- Hardware

Package Includes

- TLM609NS Safety Power Strip
- 4 safety covers
- Owner's manual

#### **Features**

- 6 outlets distribute AC power to a wide range of power tools, pumps, air compressors and more.
- Convenient transformer outlets
- A 9 ft. grounded cord with integrated cord clip reaches distant outlets.
- A lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Breaker protects against dangerous system overload.
- 4 safety covers shield unused outlets from debris and accidental contact.
- A rugged metal case stands up to the harshest environments.
- Built-in cord wrap with hang holes provides convenient cord management.
- . Integrated keyhole slots on bottom panel provide convenient wall/desk mounting

- Its bright yellow color alerts you and others that power cords and tools are in use.
- OSHA color guidelines, outlined in Document 1910.145, alert users to hazardous situations, which may cause minor or moderate injury. This Tripp Lite product complies with those guidelines.

# **Specifications**

OVERVIEW		
Intended Application	Safety; Industrial/Factory Floor	
OUTPUT		
Frequency compatibility	60 Hz	
Circuit Breaker (amps)	12	
Overload protection	Combo power switch and circuit breaker	
Outlet quantity / type	6 NEMA 5-15R	
Transformer accommodation	Yes (2)	
Outlet safety covers	Yes (4)	
Outlet orientation	Single row	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	120V, 15A	
Input connection type	NEMA 5-15P	
Input plug features	Integrated cord clip	
Input cord length (ft.)	9	
Input cord length (m)	2.74	
Input cord gauge, type	14 gauge, SJT	
Voltage compatibility (VAC)	120	
PHYSICAL		
Shipping Dimensions (HWD/in)	16.17 x 7.10 x 2.17	
Shipping Dimensions (HWD/cm)	41.07 x 18.03 x 5.51	
Shipping weight (lbs)	3.33	
Shipping weight (kg)	1.51	
Unit Dimensions (HWD/in)	15.97 x 3.07 x 1.61	
Unit Dimensions (HWD/cm)	40.56 x 7.80 x 4.09	
Unit weight (Ibs)	3.24	
Unit weight (kg)	1.47	
Material of construction	All-metal	

Integrated keyhole mounting tabs	Yes
Receptacle Color	black
AC line cord color	yellow
Style	Strip
Outlets center to center measurement	Distance between standard outlets = 30.40mm; Distance between standard and transformer outlets = 45mm
Keyhole slot center to center measurement	209.55mm
CERTIFICATIONS	
Approvals	cULus, RoHS
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=3679.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.