


[Samples & Purchase Cart](#) | [Contact Us](#) | [TI Worldwide: United States](#) | [my.TI Login](#)
[Products](#) | [Applications](#) | [Design Support](#) | [Sample & Buy](#)

All Searches

Search by Keyword



Search by Part Number


[TI Home](#) > [Semiconductors](#) > [Power Management](#) > [Lighting and Display Solutions](#) > [LCD/OLED Display Bias Solutions](#) >

## TPS65168 Status: ACTIVE

High Resolution, Fully Programmable LCD Bias IC for TV

Overall Rating No reviews yet. [Add your review and give us feedback](#)
[Alert me about changes to this product](#)

### Most Popular Links

[Samples](#)
[Pricing/Packaging](#)
[Technical Documents](#)
[Features](#)
[Related Products](#)
[Tools & Software](#)
[Inventory](#)
[Symbols/Footprints](#)
[Quality & Pb-Free Data](#)
[Application Notes](#)
[Reference Designs](#)
[Support & Community](#)

## Datasheet


**TPS65168 Features** (PDF 13 KB)  
09 Sep 2010

	TPS65168
Vin(Min)(V)	8.6
Vin(Max)(V)	14.7
DC/DC Converter	4
Charge Pump	2
Pin/Package	40WQFN
Vlogic1 Ilim(Min)(A)	Buck, 2.6
Vlogic1(Min)(V)	3
Vlogic2 Ilim(Min)(A)	Buck, 1.1
Vlogic2(Min)(V)	0.9
VGH / Vpos (Igh)	Controller 34V max, ≥100mA
VGL / Vneg (Igl)	Controller -8.1V max, ≥ 100mA
Operating Temperature Range(°C)	-40 to 85
Switching Frequency(Typ)(kHz)	750
Over-Voltage Protection(Max)(V)	19.5
Regulated Outputs(#)	6
Isolation Switch	Integrated
Rating	Catalog
Special Function	HVDD, Temp. Comp, VGH, Programmable Outputs w/ Internal Memory
Target Application	TV, Monitor 12V
	<a href="#">Samples</a>
	<a href="#">Inventory</a>



### Samples & Purchase Cart

#### Sample Items

[Get Free Samples](#)  
for TPS65168

Existing Customer?

[Login to View Cart](#)

New Customer?

[Create a my.TI Account](#)

#### Purchase Items

You have 0 item(s) in Your Cart.

[View Cart](#)
[Analog Lighting and Display Solutions Homepage](#)

 News Release - 16 Sep 2010  
 TI introduces high-efficiency power converter for energy...

## Product Information

### Features

8.6 to 14.7V Input Voltage Range  
 6-Bit Boost Converter  $V_{DD}$   
 Programmable Integrated Input-to-Output Isolation Switch  
 Programmable Buck Converter HVDD  
 Programmable Buck Converter  $V_{I/O}$   
 Programmable Buck Converter  $V_{CORE}$   
 Positive charge Pump Controller  $V_{GH}$   
 Temperature Compensation for  $V_{GH}$   
 Negative Charge Pump Controller  $V_{GL}$   
 Reset Signal With Programmable Reset Pulse Duration  
 Programmable Sequencing  
 Thermal Shutdown  
 APPLICATIONS  
 LCD TVs  
 LCD monitors

### Description

The TPS65168 provides a simple and economic power supply solution for a wide variety of LCD bias applications. The device provides all supply rails needed by a TFT-LCD panel.  $V_{I/O}$ ,  $V_{CORE}$  and RST for the T-Con.  $V_{DD}$  and HVDD for the Source Driver and the Gamma Buffer.  $V_{GH}$  and  $V_{GL}$  for the Gate Driver or the Level Shifter. The  $V_{GH}$  voltage can be compensated for low and high adjustable temperatures, if GIP technology is used. The transition from one programmed  $V_{GH}$  value to another is made using an external thermistor connected to the IC. All output rails

and delay times are programmable by a Two-Wire interface: a single BOM can cover several panel types and sizes whose desired output levels can be programmed in production and stored in a non-volatile memory embedded into the TPS65168.

[View All Description in Datasheet](#)

## Pricing / Packaging / CAD Design Tools / Samples

			Price	Packaging		Samples
Device	Status	Temp (°C)	Price   Quantity	Package   Pins	Package QTY   Package Carrier	Samples
TPS65168RSBR	ACTIVE	-40 to 85	1.90   1ku	WQFN (RSB)   40	3000   LARGE T&R	<a href="#">Add Free Sample To Cart</a>


\* Suggested Resale Price per unit (USD) for BUDGETARY USE ONLY. For higher volume price quotes, prices in local currency or delivery quotes, please contact your local Texas Instruments Sales Office or [Authorized Distributor](#).

## Inventory

Reported Distributor Inventory as of 9:15 AM GMT, 26 Sep 2010			
Region	Company	In Stock	Purchase
TPS65168RSBR			
None Reported <a href="#">View Distributors</a>			
View all Distributors		Minnesota	<a href="#">Go</a>

Please contact your preferred [TI Authorized Distributor](#) or local TI sales office for lead times on full production quantities.

## Quality & Lead (Pb)-Free Data

	Product Content				DPPM / MTBF / FIT Rate
Device	Eco Plan*	Lead / Ball Finish	MSL Rating / Peak Reflow	Details	Details
TPS65168RSBR 	Green (RoHS & no Sb/Br)	CU NIPDAU	Level-2-260C-1 YEAR	<a href="#">View</a>	<a href="#">View</a>

\* The planned eco-friendly classification: Pb-Free (RoHS) or Pb-Free (RoHS Exempt) or Green (RoHS & no Sb/Br) - please click on the Product Content Details "View" link in the table above for the latest availability information and additional product content details.

If the information you are requesting is not available online at this time, contact one of our [Product Information Centers](#) regarding the availability of this information.

## Technical Documents

### Datasheet

**TPS65168 Features** (PDF 13 KB)  
09 Sep 2010











## Related Products

Part #	Name	Product Family	Comments
<a href="#">BUF16821</a>	Programmable Gamma-Voltage Generator and Vcom Calibrator with Integrated Two-Bank Memory	PRECISION AMPLIFIER - LCD GAMMA BUFFER	TPS65168 supplies VDD output rail for BUF16821 and also VGH & VGL for TPS65194
<a href="#">TPS65194</a>	13 Channel Level Shifter for LCD TVs and Monitors	LIGHTING AND DISPLAY SOLUTIONS - LCD/OLED DISPLAY BIAS SOLUTIONS	TPS65168 supplies VDD output rail for BUF16821 and also VGH & VGL for TPS65194

## Support and Community

Contents are provided "AS IS" by the respective TI and Community contributors and do not constitute TI specifications. See [Terms of Use](#).

## Forums

Topics	Replies	Views
 <b>TLC5947 Single Shot</b> <a href="#">Latest post</a> by <a href="#">Brigitte</a> , 27 Sep 2010 2:46 AM	 9	84
 <b>TLC5927 - Maximum Driving Current for a LED Driver</b> <a href="#">Latest post</a> by <a href="#">Nicolas Prieto Angueira</a> , 23 Sep 2010 2:55 PM	 2	42
 <b>TLC5916 - Output default turnon state?</b> <a href="#">Latest post</a> by <a href="#">Dick Stacey</a> , 23 Sep 2010 12:18 PM	 1	29
 <b>TPS61500EVM-369 dimming</b> <a href="#">Latest post</a> by <a href="#">Stephen Nortman</a> , 16 Sep 2010 1:55 PM	 9	201
 <b>Looking for some advice for 8x8 RGB Led matrix driver</b> <a href="#">Latest post</a> by <a href="#">Brigitte</a> , 10 Sep 2010 7:12 AM	 3	116

[See more forums](#)

## Media



### Power Tips! Series on Power Management Design...

Posted: 17 Jun 2009  
Views: 1,180

[See more videos](#)

## Blogs

### High five, ARCHOS! New tablets echo scalable mobile success

In my years of work with the TI team, I've learned that success is not just measured by the chips and technologies incubated inside of TI's walls. Success, rather, is measured in large part by those chips' and technologies' ability...

Posted to [Mobile Momentum](#) on 3 Sep 2010

[OMAP](#), [WiLink](#), [ARM](#), [Archos](#), [power management](#), [ARM Cortex-A8](#), [tablet](#), [OMAP36x](#)

### TI's Intel Atom Tunnel Creek platform power system reference designs reduce time to revenue

If you're designing an embedded computing platform using Intel's 2010 Atom Tunnel Creek processor there's good news in dealing with the complexity of the power design, and ensuring your power supplies are compliant to the Intel power specifications...

Posted to [Power House](#) on 26 Aug 2010

[power supply](#), [power management](#), [Atom](#), [buck](#), [step-down](#), [power converter](#), [processor power supply](#), [GPU core voltage regulator](#), [intel](#), [switcher](#), [tunnel creek](#), [Eco Mode](#), [CPU core voltage regulator](#)

### Total Power Solutions for Embedded Processing eTech Day - June 29, 2010

Designing an Embedded Processing or Embedded Computing board? Embedded Computing is one of the highest-growth market segments with embedded computers behind many day-to-day tasks from home and factory automation to security to entertainment to renewable...

Posted to [Power House](#) on 21 Jun 2010

[power management](#), [Embedded PC](#), [Atom](#), [Embedded Computer](#), [infotainment](#), [dc/dc converter](#), [intel cpu](#), [embedded processing](#), [omap](#), [core i3](#), [core i7](#), [core i5](#), [power solution](#), [media phones](#)

### One Bright Day - Controlling LEDs with Microcontrollers - June 22nd, 2010

The industry debate on "if LEDs will be used for real world lighting applications" is over. The answer is an undeniable "Yes". The debate has shifted to "when". When will LED based light bulb replacements be affordable...

Posted to [Power House](#) on 21 Jun 2010

[power management](#), [LED](#), [analog](#), [lamp](#), [lighting](#), [led driver](#), [Microcontrollers](#)

### 2010 North American Power Supply Design Seminar Dates Announced

TI's popular Power Supply Design Seminars are back! The seminars provide rich technical and practical presentations that combine new advanced power supply concepts, basic design principles and real-world application examples. Seminars are also planned...

Posted to [Power House](#) on 8 Jun 2010

[power supply](#), [power management](#), [training](#), [power supply seminar](#)

## Customer Tags

No Tags are Available for this Part Number

[Create a Tag](#)

## Other Support

[TI E2E Community](#)  
[KnowledgeBase](#)  
[Contact Technical Support](#)  
[Product Training](#)  
[Competitor Cross Reference](#)  
[Part Marking Lookup](#)

## Customer Reviews <sup>BETA</sup>

Overall Rating

No reviews yet.

[Add Your Review And Give Us Feedback](#)

[Products](#) | [Applications](#) | [Design Support](#) | [Sample & Buy](#)

[TI Worldwide](#) | [About TI](#) | [Contact Us](#) | [Investor Relations](#) | [News Center](#) | [Corporate Citizenship](#) | [Careers](#) | [Tags](#) | [my.TI Login](#) | [All Searches](#) | [Site Map](#)

© Copyright 1995-2010 Texas Instruments Incorporated. All rights reserved. Trademarks | [Privacy Policy](#) | [Terms of Use](#)