DUIT[®] ELECTRICAL SOLUTIONS

Ultra-Cinch[™] Hook & Loop Cable Ties

- Unique material with hooks and loops on same side allows user to secure a greater range of bundle diameters, including smaller bundles
- Soft, premium material is safe to use on high performance cabling, protecting against over-tensioning
- Adjustable, releasable, and re-usable multiple times ideal for applications requiring frequent moves, adds, or changes
- Low profile contoured cinch ring provides extra strength and bundle tightness while reducing overall bundle size







- Grommet (UGCTC and UGCTE styles) offers strength and assures reliable installations that resist pullout when bundling and mounting cables within cabinet applications
- Tapered tip facilitates easy, snag-free threading to speed installation

P

Use flat-head screws for grommet applications shown below

Note: Minimum 2" overlap required to achieve loop tensile rating.



UGCTE Bundle is offset

from mounting point



C3. Abrasion Protection

A. System

Overview

B1. Cable Ties

> B2. Cable

Accessories

B3. Stainless Steel Ties

> C1. Wiring Duct

C2. Surface Raceway

C4. Cable Management

D1. Terminals

Part Number	Length		Width		Max. Bundle Dia.		Min. Loop Tensile Str.		Std. Pkg.	Std. Ctn.	D2. Power Connector
	In.	mm	In.	mm	In.	mm	Lbs.	Ν	Qty.	Qty.	
Cinch Ties											D3.
UCT3S-X0	12.0	305	.850	21.6	3.00	76	50	222	10	100	Groundin
UCT5S-X0	18.0	457	.850	21.6	5.00	127	50	222	10	100	Connecto
Cinch Ties – Ce	enter Mount	t Grommet	(Bundle is	centered o	ver mounti	ng point)					
UGCTC3S-X0	12.0	305	.850	21.6	3.00	76	50	222	10	100	E1.
UGCTC5S-X0	18.0	457	.850	21.6	5.00	127	50	222	10	100	Labeling Systems
Cinch Ties – Er	nd Mount G	rommet (Bu	undle is off	set from m	ounting po	int)					
UGCTE3S-X0	12.0	305	.850	21.6	3.00	76	50	222	10	100	
UGCTE5S-X0	18.7	475	.850	21.6	5.00	127	50	222	10	100	E2.

111

UGCTC

Bundle is centered

over mounting point

Note: 1/4" (6mm) diameter mounting hole on grommet style cinch ties.

Flat Head Screws for Grommet Cinch Ties

Part Number	Part Description	Std. Pkg. Qty.	Std. Ctn. Qty.
UCTGS1224-X	12-24 UNC x 5/8mm (.625") flat head phillips screw	10	100
UCTGSM5-X	M5 x 16mm flat head phillips screw	10	100
UCTGSM6-X	M6 x 16mm flat head phillips screw	10	100

Markers E4.

E3. Pre-Printed

& Write-On

Permanent Identification

> E5. Lockout/ Tagout & Safety Solutio<u>ns</u>

> > F. Index