

Shock-safe Fuseholder, Solder Terminals, 5x20 mm



250 VAC · 2.5 W/6.3 A

**Description**

- Fuseholder is designed and manufactured by Schurter Electronics Pvt. Ltd. in India
- Black and red caps available

Applications

- Low cost consumer electronics


Weblinks

[pdf-datasheet](#), [html-datasheet](#), [General Product Information](#), [Approvals](#), [CE declaration of conformity](#), [RoHS](#), [CHINA-RoHS](#), [e-Shop](#), [SCHURTER-Stock-Check](#), [Distributor-Stock-Check](#), [Detailed request for product](#)

Technical Data

Shock-Safe Category	PC2
Fuse-Link	5 x 20 mm
Mounting	Panel Mount
Mounting	Fixing Nut
Terminal	Solder
Rated Voltage	250 VAC
Rated current	6.3 A
Rated Power Acceptance IEC	2.5 W / 6.3 A @ Ta 23 °C
Admissible Ambient Air Temp.	-40 °C to 85 °C
Material: Socket	Thermoplastic, UL 94V-2
Storage Conditions	0 °C to 60 °C, max. 70% r.h.

Soldering Methods	Iron
Solderability	350 °C / 2 sec
Resistance to Soldering Heat	350 °C / 2 sec

Dimensions**Variants**

Holder	Colour Cap	Order Number
●	black	8601.2010
●	red	8601.2020

Packaging Unit

Bulk (100 pcs.)