



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: N001-150-GY

### 150-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray

#### Highlights



- Cabling for Category 5 (Cat5) and 5e (Cat5e) applications
- Solid Conductor wire for long distance performance
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation
- Feature molded connectors with integral strain relief. Rated for 350 MHz/ 1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 5e, draft 11)

#### Description

Tripp Lite's 150-ft. gray snagless category 5e (Cat5e) patch cable has 2 snagless RJ45 molded male connectors featuring integral strain relief. The cable is manufactured from PVC 4-pair Solid Conductor UTP for improved long run performance, and is rated for 350MHz/1Gbps communication. All cables are offered in a variety of lengths and colors for all category 5 (Cat5) and 5e cabling needs. Standard category 5e patch cables are also available.

#### System Requirements

- For 1000Base-T (1Gbps Ethernet), 10/100Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type3 applications.

#### Package Includes

- 150-ft. Gray Snagless Cat5e Patch Cable

#### Features

- Cabling for category 5 (Cat5) and 5e (Cat5e) applications
- Length: 150- Ft. Color: gray Connectors: RJ45 male
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair Solid UTP
- Rated for 350MHz/ 1Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e draft 11)
- Available in other colors and lengths
- Also available without the snagless feature (N002 series)
- Also available - Cat6 cables (N201 series)

#### Specifications

OVERVIEW	
Intended Application	Computer Networking

<b>Cable Type</b>	CAT5 / CAT5E
<b>Model Type</b>	Snagless Patch Cables
<b>INPUT</b>	
<b>Cable Length (ft.)</b>	150
<b>Cable Length (m)</b>	45.72
<b>UPC ASSIGNMENT</b>	
<b>Unit Carton UPC#</b>	037332041913
<b>PHYSICAL</b>	
<b>Color</b>	Gray
<b>Style</b>	Cat5/5e
<b>CONNECTIONS</b>	
<b>Connector A</b>	 RJ45 (MALE)
<b>Connector B</b>	 RJ45 (MALE)
<b>CERTIFICATIONS</b>	
<b>Approvals</b>	For 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type 3 applications.
<b>WARRANTY</b>	
<b>Product Warranty Period (Worldwide)</b>	Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">DNET1</a>	Network Surge Suppressor - Essential protection for data and communication lines	1
<a href="#">N001-050-BK</a>	50-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Black	1
<a href="#">N001-050-BL</a>	50-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Blue	1
<a href="#">N001-075-GY</a>	75-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray	1
<a href="#">N001-125-GY</a>	125-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray	1
<a href="#">N002-100-GY</a>	100-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Gray	1
<a href="#">N010-007-GY</a>	7-ft. Cat5e 350MHz Molded Cross-over Cable (RJ45 M/M) - Gray	1
<a href="#">N022-01K-GY</a>	1000-ft. Cat5e 350MHz Bulk Solid-core PVC Cable - Gray	1
<a href="#">N032-001</a>	Cat5e Straight Through Modular In-line Coupler (RJ45 F/F)	1
<a href="#">N033-001</a>	Straight Through Modular In-line Coupler (RJ45 F/F)	1

N050-012	12-Port Cat5e Wall Mount Patch Panel 568B	1
N052-012	12-Port Cat5e Patch Panel 568B	1
N052-024	24-Port Cat5e Patch Panel 568B	1
N052-048	48-Port Cat5e Patch Panel 568B	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2489](http://www.tripplite.com/en/products/model.cfm?txtModelID=2489).

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.